

Prohlášení o shodě výrobku s technickými předpisy

a) KLATT s.r.o

Komerční areál IMPERA PARK Oderská 333/5, Praha 9 – Čakovice 196 03
IČO : 62958194 ; DIČ : CZ 62958194

prohlašuje, že níže popsany osobní ochranný prostředek

b) typ : pracovní rukavice

název : SHOWA 381

číslo/kód : SHO381x



je ve shodě ustanoveními nařízení vlády č. 63/2018 Sb., který je ve shodě s příslušnými základními požadavky na ochranu zdraví a bezpečnosti, stanovenými v příloze II nařízení EP a Rady č.(EU)2016/425.

c) Popis a určení výrobku:

SHOWA 381 jsou odolné, lehké a extrémně pohodlné rukavice; ideální pro montáž a přesné manipulační úkoly v suchých podmínkách a i lehce znečištěném prostředí od oleje.

Charakteristika - Reliéfní mikroporézní nitrilový palmový povlak, Vložka z příze z mikrovlákná SHOWA o rozměru 13 (0,52 denier), Tloušťka prstu 0,84 mm umožňuje vynikající úroveň hmatu a citlivosti, Úroveň oděru 4 pro maximální odolnost proti oděru (EN388), Ultralehká hmotnost: 19 g, Skvěle sedí díky ergonomicky tvarované vložce SHOWA. Velikost: 6 - 10.

Norma: EN388:2016 4121X

Vlastnosti a výhody

- Reliéfní nitrilová palmová povrchová úprava rozptyluje olej, aby umožňoval bezpečné uchopení po dlouhou dobu v lehkém olejovém prostředí
- Příze z mikrovlákná absorbuje pot z povrchu ruky a účinně jej odvádí pryč, aby ruce zůstaly chladné a suché
- Vynikající úroveň hmatu a citlivosti
- Mikroporézní nitrilový povlak umožňuje teplý vzduch a vlhkost unikat zevnitř
- Výjimečná poddajnost a pohodlí díky kombinaci mikrovlákná a spandexu
- Tloušťka prstu 0,84 mm umožňuje vynikající úroveň hmatu a citlivosti
- Flexibilní rukavice navržena pro snadný pohyb a delší nošení
- Bezešvá vložka zabraňuje podráždění
- Nízké vlákno s mikrovláknem
- Žádné riziko alergie na latex

Průmyslová odvětví

- Letectví a kosmonautika
- Automobilový průmysl
- Výrobní
- Skladování a distribuce

d) Norma:

- **EN388:2016 4121X**



e) Identifikační údaje o výrobci:

SHOWA
Strawinskyaan 1817
WTC – Tower I
Amsterdam 1077xx
Netherlands

f) Potvrzení výrobce, nebo dovozce:

Výrobce (dovozce), identifikovaný pod písmenem a) tohoto prohlášení, potvrzuje, že vlastnosti výrobku, identifikovaného pod písmenem b) a c) tohoto prohlášení, splňují základní požadavky na výrobky, konkretizované českými technickými normami identifikovanými pod písmenem d) tohoto prohlášení.

Výrobek je za podmínek obvyklého (*popř. výrobcem nebo dovozcem určeného*) použití bezpečný. Výrobce (dovozce) potvrzuje, že přijal opatření, kterými zabezpečuje shodu všech výrobků jím uváděných na trh s technickou dokumentací a základními požadavky.

g) Údaje o další organizaci, která se zapojila do posuzování – viz příložený certifikát

V Praze 6.9.2021





SHOWA 381

EU DECLARATION OF CONFORMITY



THE MANUFACTURER:

SHOWA Glove Co. 565 Tohori,
Himeji Hyogo 670 - 0802 Japan

**THE AUTHORIZED REPRESENTATIVE WITHIN
THE EUROPEAN ECONOMIC AREA:**

SHOWA International (Netherlands) B.V WTC -
Tower I - Strawinskylaan 1817 1077 XX
Amsterdam The Netherlands

DECLARE THAT THE PRODUCT LISTED AS **SHOWA 381 IS IN
CONFORMITY WITH THE PROVISIONS OF**

- Regulation EU 2016/425
- Annex II: essential health and safety requirement



Cat II



The notified body SGS Fimko Oy - no. 0598 performed the EU Type Examination (Module B) - and issued the EU type examination certificate no FI 19/962672

The glove is subject to the ongoing conformity assessment procedure and is under surveillance of the notified body SGS Fimko Oy - no. 0598.

YASUSHI OKADA
Manager EMEA
Products & Logistics

06/09/2021
AMSTERDAM,
NETHERLAND

DATE ISSUED



SHOWA 381



SHOWA 381

The 381 ultra-lightweight gloves are designed with flexibility and comfort in mind, even during periods of extended wear. It's unique microfiber design, weighing only 19g and with a finger thickness of just 0.84mm, ensures 381 provides optimum tactility when working on delicate projects. Using ultra-thin, breathable materials reduces palm sweat in warm environments, which increases comfort and grip within the glove.



BENEFITS

- Abrasion-resistant
- Oil-resistant
- Increased dexterity
- Breathable
- Flexible
- Increased sensitivity
- Form-fitting
- Latex-free
- Reusable

FEATURES

- Thin palm material
- Thin finger thickness
- Embossed microporous nitrile coating
- Lightweight
- Optimal liner design
- Engineered yarn
- Microfiber

INDUSTRIES



Aerospace



Airports & Ports



Automotive



Construction



Engineering



Mechanical



Mining

HAZARDS



General Purpose

GET IN TOUCH

SHOWA International | WTC - Tower I - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2021 | All rights reserved

PRAHA

Komerční areál IMPERA PARK
Oderská 333/5, Praha 9 196 03
Tel/fax : + 420 266 314 266
klatt@klatt.cz
www.klatt.cz

KOLÍN

K Dílnám 974, Kolín IV, 280 02
Tel : + 420 321 622 745
Fax : + 420 321 711 457
kolin@klatt.cz
ČSN EN ISO 9001:2016



SHOWA 381

NORMS & CERTIFICATES



Cat II



EN 388:2016



4121X

EN 420:
2003+A1:2009

TRADES & APPLICATIONS

- Intricate parts handling
- Light assembly of oil-coated pieces
- Mechanical and engineering
- Automotive repairs and maintenance
- Shuttering
- Dry & oily parts assembly
- Component Assembly
- General Purpose
- Heavy Equipment Operation
- Supervising
- Tool Operation
- Transporting

PACKAGING

- Pair per polybag: 12
- Polybags per case: 12
- Pair per case: 144

LENGTH

220 - 270mm

COATING

- Microporous nitrile

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Grey

MATERIAL

- Engineered yarn
- Microfibre
- Seamless knit

TECHNOLOGY

- Microfibre

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | WTC - Tower I - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2021 | All rights reserved

PRAHA

Komerční areál IMPERA PARK
Oderská 333/5, Praha 9 196 03
Tel/fax : + 420 266 314 266
klatt@klatt.cz
www.klatt.cz

KOLÍN

K Dílnám 974, Kolín IV, 280 02
Tel : + 420 321 622 745
Fax : + 420 321 711 457
kolin@klatt.cz
ČSN EN ISO 9001:2016