

Prohlášení o shodě výrobku s technickými předpisy

a) KLATT s.r.o

Komerční areál IMPERA PARK Oderská 333/5, Praha 9 – Čakovice 196 03
IČO : 62958194 ; DIČ : CZ 62958194

prohlašuje, že níže popsaný osobní ochranný prostředek

b) typ : rukavice proti prořezu

název : SHOWA DURACoil 386

číslo/kód : SHO386x



je ve shodě ustanoveními nařízení vlády č. 63/2018 Sb., který je ve shodě s příslušnými základními požadavky na ochranu zdraví a bezpečnosti, stanovenými v příloze II nařízení EP a Rady č.(EU)2016/425.

c) Popis a určení výrobku:

Úroveň odolnosti proti proříznutí C díky vložce DURACoil s mikroporézním nitrilovým povlakem pro skvělou přilnavost a provzdušnění.

Vlastnosti a výhody

- Odolnost proti prořezání: Úroveň C (EN 388: 2016) / ANSI / ISEA 105-16: A3
- Vysoká úroveň flexibility a obratnosti
- Vícevrstvý polyesterový obal DURACoil vložka vyztužená HPPE poskytuje účinnou ochranu proti prořezání
- Dlaň potažená mikroporézním nitrilem pro dobrý úchop a provzdušnění a zároveň chrání ruku před oleji a oděrkami
- Maximální pohodlí při provádění choulostivých úkolů díky měkkým a pružným vlastnostem HPPE v kombinaci s technikou vysokého vícevrstvého balení
- Vysoká odolnost proti oděru, úroveň 4
- Reliéfní nitrilová palmová povrchová úprava rozptyluje olej a zvyšuje přilnavost a životnost v lehkém olejovém prostředí
- Unikátní ergonomický tvar SHOWA, který kopíruje přirozenou křivku lidské ruky pro lepší obratnost a delší používání
- Bezešvý úplet navržený tak, aby zabránil podráždění

Průmyslová odvětví

- Letectví a kosmonautika
- Automobilový průmysl
- Konstrukce
- Inženýrství
- Sklářský průmysl
- Výroba

d) Norma:

- **EN388:2016**
 - 4x42C

EN388: 2016



4X42C

e) Identifikační údaje o výrobci:

SHOWA
Strawinskyaan 1817
WTC – Tower I
Amsterdam 1077xx
Netherlands

f) Potvrzení výrobce, nebo dovozce:

Výrobce (dovozce), identifikovaný pod písmenem a) tohoto prohlášení, potvrzuje, že vlastnosti výrobku, identifikovaného pod písmenem b) a c) tohoto prohlášení, splňují základní požadavky na výrobky, konkretizované českými technickými normami identifikovanými pod písmenem d) tohoto prohlášení.

Výrobek je za podmínek obvyklého (*popř. výrobcem nebo dovozcem určeného*) použití bezpečný. Výrobce (dovozce) potvrzuje, že přijal opatření, kterými zabezpečuje shodu všech výrobků jím uváděných na trh s technickou dokumentací a základními požadavky.

g) Údaje o další organizaci, která se zapojila do posuzování – viz příložený certifikát

V Praze 31.8.2021





SHOWA DURACOIL 386

EU DECLARATION OF CONFORMITY



THE MANUFACTURER:

SHOWA Glove Co. 565 Tohori,
Himeji Hyogo 670 – 0802 Japan

**THE AUTHORIZED REPRESENTATIVE WITHIN
THE EUROPEAN ECONOMIC AREA:**


SHOWA International (Netherlands) B.V WTC -
Tower I - Strawinskylaan 1817 1077 XX
Amsterdam The Netherlands

**DECLARE THAT THE PRODUCT LISTED AS SHOWA DURACOIL 386
IS IN CONFORMITY WITH THE PROVISIONS OF**

- Regulation EU 2016/425
- Annex II: essential health and safety requirement



Cat II



The notified body SGS United Kingdom Limited (0120) performed the EU Type Examination (Module B) - and issued the EU type examination certificate no GB19/962563

The glove is subject to the ongoing conformity assessment procedure and is under surveillance of the notified body SGS United Kingdom Limited (0120).

YASUSHI OKADA
Manager EMEA
Products & Logistics

31/08/2021
AMSTERDAM,
NETHERLAND

DATE ISSUED



SHOWA DURACOIL 386



SHOWA DURACOIL 386

Don't compromise on flexibility when seeking highly durable cut-resistant gloves. The DURACOIL 386 utilizes our advanced HPPE reinforced lining to provide cut and abrasion resistance, without sacrificing dexterity. The microporous coating disperses oil to increase grip. So even for tasks on a smaller scale, such as component assembly, the 386 enables a full range of movement and control.



BENEFITS

- Cut-resistant
- Form-fitting
- Reusable
- Machine washable
- Oil-resistant
- Extra Grip
- Flexible
- Increased dexterity
- Breathable
- Abrasion-resistant
- Seamless knit

FEATURES

- Engineered DURACOIL liner
- Ergonomic
- Embossed microporous nitrile coating
- Optimal liner design
- HPPE reinforced

NORMS & CERTIFICATES

Cat II



EN 388:2016



4X42C

EN 420:
2003+A1:2009

INDUSTRIES



Aerospace



Automotive



Engineering



Manufacturing



Mechanical

HAZARDS



Cut

TRADES & APPLICATIONS

- Intricate parts handling
- Brick laying
- Flashings and seals
- Maintenance
- Steel fixing
- Component Assembly

GET IN TOUCH

SHOWA International | WTC - Tower I - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2021 | All rights reserved

PRAHA

Komerční areál IMPERA PARK
Oderská 333/5, Praha 9 196 03
Tel/fax : + 420 266 314 266
klatt@klatt.cz
www.klatt.cz

KOLÍN

K Dílnám 974, Kolín IV, 280 02
Tel : + 420 321 622 745
Fax : + 420 321 711 457
kolin@klatt.cz
ČSN EN ISO 9001:2016



SHOWA DURACOIL 386



PACKAGING

- Pair per polybag: 10
- Polybags per case: 12
- Pair per case: 120

LENGTH

220 - 270mm

COATING

- Microporous nitrile

SIZES

6/S | 7/M | 8/L | 9/XL | 10/XXL

COLOUR

- Grey

MATERIAL

- Engineered yarn
- HPPE
- Polyester

TECHNOLOGY

- Duracoil

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International | WTC - Tower I - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2021 | All rights reserved

PRAHA

Komerční areál IMPERA PARK
Oderská 333/5, Praha 9 196 03
Tel/fax : + 420 266 314 266
klatt@klatt.cz
www.klatt.cz

KOLÍN

K Dílnám 974, Kolín IV, 280 02
Tel : + 420 321 622 745
Fax : + 420 321 711 457
kolin@klatt.cz
ČSN EN ISO 9001:2016